



**Environmental and Laboratory Services**  
 90 ½ West Blackwell St., Dover, New Jersey 07801  
 (973) 989-0010 P, (973) 989-0156 F

## Analytical Results

**Date:** June 27, 2017  
**Client:** Nutley Board of Education  
**Address:** 315 Franklin Ave  
 Nutley, NJ 07110

**Project:** John Walker Middle School

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-1  
**Sample location:** Field Blank  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:24  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	14:21	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-2  
**Sample location:** NMS-SO Board OFF  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:29  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	14:28	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-3  
**Sample location:** NMS-FC-HW by Rm 101-01  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:32  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	14:53	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-4  
**Sample location:** NMS-FC-HW by Rm 101-02  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:32  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	15:19	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-5  
**Sample location:** NMS-SO-Main Off  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:34  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	4.80 µg/L	15 µg/L	06/23/17	15:25	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-6  
**Sample location:** NMS-KO-Rm 115 Kitchen Trip  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:37  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	15:32	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-7  
**Sample location:** NMS-KO-Rm 115 Kitchen Small  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:39  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	15:38	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-8  
**Sample location:** NMS-KO-Rm 115 Kitchen Sm Prep  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:40  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	15:45	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-9  
**Sample location:** NMS-KO-Rm 115 Kitchen Lg Prep  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:41  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	15:51	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-10  
**Sample location:** NMS-SO-Dining Area  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:42  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	15:57	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-11  
 Sample location: NMS-KO-Cafe  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:46  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:04	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-12  
 Sample location: NMD-MO-Nurse-01  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:48  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:16	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-13  
 Sample location: NMS-FC-HW by Rm 107-01  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:50  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:23	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-14  
 Sample location: NMS-FC-HW by Rm 107-02  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:50  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:29	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-15  
 Sample location: NMS-FC-HW by Rm 201-01  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:53  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:36	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-16  
 Sample location: NMS-FC-HW by Rm 201-02  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:54  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:42	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-17  
**Sample location:** NMS-FC-HW by Gym-01  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:56  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:49	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-18  
**Sample location:** NMS-FC-HW by Gym-02  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:57  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	16:55	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-19  
**Sample location:** NMS-FC-Rm 225  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 08:58  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	17:02	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-20  
**Sample location:** NMS-FC-Rm 224  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 09:00  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	17:08	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-21  
**Sample location:** NMS-SO-Rm 211  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 09:02  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	17:15	1	2.00 µg/L

**Sample description:** Drinking Water / 1<sup>st</sup> Draw / DWS5730-22  
**Sample location:** NMS-FC-HW by Rm 209-01  
**Sampled by:** S. Flyte / S. Berta  
**Sample date:** 06/17/17  
**Time:** 09:04  
**Analyst:** B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	17:40	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-23  
 Sample location: NMS-FC-HW by Rm 209-02  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:05  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:04	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-24  
 Sample location: NMS-SO-Rm 206  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:06  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:10	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-25  
 Sample location: NMS-FC-HW by Rm 310-01  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:12  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:16	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-26  
 Sample location: NMS-FC-HW by Rm 310-02  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:12  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:22	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-27  
 Sample location: NMS-Boiler Rm-POE  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:28  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/22/17	18:53	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-28  
 Sample location: NMS-MO-Nurse-02  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 08:48  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:28	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-29  
 Sample location: NMS-FC-HW by 301-01  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:09  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:34	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-30  
 Sample location: NMS-FC-HW by 301-02  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:10  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:40	1	2.00 µg/L

Sample description: Drinking Water / 1<sup>st</sup> Draw / DWS5730-31  
 Sample location: NMS-Kitchen IM  
 Sampled by: S. Flyte / S. Berta  
 Sample date: 06/17/17  
 Time: 09:17  
 Analyst: B. Moraga

Parameter	Method	Sample Result	NJDEP Limit	Date Analyzed	Time Analyzed	Dilution Factor	Reporting Limit
Lead	SM3113B	<2.00 µg/L	15 µg/L	06/23/17	18:46	1	2.00 µg/L

µg/L = micrograms per liter

All testing was done within the required holding time.

I certify that these samples were analyzed in accordance with procedures approved by the New Jersey Department of Environmental Protection.

Susan VanVeen (For SV)  
 Susan VanVeen, Lab Manager  
 NJ Laboratory Certification ID # 14013

July 21, 2017  
 Date

#NAME?

# CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

# Asc./HCl Vials pH: \_\_\_\_\_  
 # HCl Vials pH: \_\_\_\_\_  
 # Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> Cl<sub>2</sub>: \_\_\_\_\_  
 # 41 HNO<sub>3</sub> (85%) pH: 6.2  
 # 31 H<sub>2</sub>SO<sub>4</sub> pH: \_\_\_\_\_  
 # NaOH pH: \_\_\_\_\_  
 # unpreserved \_\_\_\_\_  
 # other \_\_\_\_\_  
 # other \_\_\_\_\_

Customer Name: Nutley John Walker MS	report to: Philip Nicolette	Agra Environmental Services
Address: 325 Franklin Ave Nutley NJ 07110		90½ West Blackwell Street Dover, NJ 07801
County/Municipality: Phil Nicolette		Phone: (973) 989-0010
Phone: 973-661-8813 office		Fax: (973) 989-0156
Work:		

Matrix Abbreviations: D - Drinking Water G- Groundwater W- Wastewater S- Soil SL- Sludge P-Pool L-Lake

Project:	Collection	PWSID# NJ	for laboratory use only	Field Analysis
----------	------------	-----------	-------------------------	----------------

Field ID	Lab ID:	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	Field Analysis	
DW55730											
Field Blank	-1	6/17/17	0824	X			1	NH03	1ST DRAW PB <2 ug/L 6/23/17	1421	BM
NMS-SO Board Off	-2	6/17/17	0829	X			1	NH03	1ST DRAW PB <2 ug/L 1	1428	L
NMS-So-Superintendent Off	-3	6/17/17		X			1	NH03	1ST DRAW PB NO NCTO.33		
NMS-FC-HW by Rm 101-01	-3	6/17/17	0832	X			1	NH03	1ST DRAW PB <2 ug/L 6/23/17	1453	BM
NMS-FC-HW by Rm 101-02	-4	6/17/17	0833	X			1	NH03	1ST DRAW PB <2 ug/L 1	1519	
NMS-SO -Main Off	-5	6/17/17	0834	X			1	NH03	1ST DRAW PB 4.80 ug/L	1525	
NMS-KO-RM 115 Kitchen Trip	-6	6/17/17	0837	X			1	NH03	1ST DRAW PB <2 ug/L	1532	
NMS-KO-Rm 115 Kitchen Small	-7	6/17/17	0839	X			1	NH03	1ST DRAW PB <2 ug/L	1538	
NMS-KO-RM115 Kitchen SM prep	-8	6/17/17	0840	X			1	NH03	1ST DRAW PB <2 ug/L	1545	
NMS-KO Rm 115 Kitchen Lg Prep	-9	6/17/17	0841	X			1	NH03	1ST DRAW PB <2 ug/L 1	1551	

Sampled By (name/company): SF/SB	State Forms Needed (circle one): Yes or No		indicate laboratory location where analysis requested was performed	
	NJDEP Laboratory Certification (Dover, NJ) #14013			
	NJDEP Laboratory Certification (Marlboro, NJ) #13033			

Reporting Requirements (Check Box):	Standard	NJ Reduced	Other (Specify)	Cooler Temperature Upon Receipt at lab:
-------------------------------------	----------	------------	-----------------	---

### Sample Custody Exchanges (Please use full legal signature)

Relinquished By: <i>Cherry Stephens</i>	Date: 6/17/17	Time: 1300	Received By: <i>[Signature]</i>	Date: 6/17/17	Time: 1301	Scanned _____  Date Faxed _____ Invoice Number _____ Is sample known to be hazardous? (circle one) Yes or No
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	

#NAME?

## CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

Customer Name: Nutley John Walker MS	report to:	Agra Environmental Services
Address: 325 Franklin Ave Nutley NJ 07110	Philip Nicolette	90½ West Blackwell Street Dover, NJ 07801
County/Municipality: Phil Nicolette		Phone: (973) 989-0010
Phone: 973-661-8813 office		Fax: (973) 989-0156
Work:		



Matrix Abbreviations: D - Drinking Water G- Groundwater W- Wastewater S- Soil SL- Sludge P-Pool L-Lake Page 1 of 1

Project:		Collection		PWSID# NJ					for laboratory use only		Field Analysis		
Field ID	Lab ID:	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED				
DW55730													
NMS-SO-Dining Area	-10	6/17/17	0842	X			1	NH03	1ST DRAW PB	<2 µg/L	6/23/17	1557	SM
NMS-KO-Café	-11	6/17/17	0846	X			1	NH03	1ST DRAW PB	<2 µg/L		1604	
NMD-MO-Nurse	-01 -12	6/17/17	0848	X			1	NH03	1ST DRAW PB	<2 µg/L		1616	
NMS-FC-HW by Rm 107-01	-13	6/17/17	0850	X			1	NH03	1ST DRAW PB	<2 µg/L		1623	
NMS-FC-HW by Rm 107-02	-14	6/17/17	0850	X			1	NH03	1ST DRAW PB	<2 µg/L		1629	
NMS-FC-HW by Rm 201-01	-15	6/17/17	0853	X			1	NH03	1ST DRAW PB	<2 µg/L		1636	
NMS-FC-HW by Rm 201-02	-16	6/17/17	0854	X			1	NH03	1ST DRAW PB	<2 µg/L		1642	
NMS-FC-HW by Gym-01	-17	6/17/17	0856	X			1	NH03	1ST DRAW PB	<2 µg/L		1649	
NMS-FC-HW by Gym-02	-18	6/17/17	0857	X			1	NH03	1ST DRAW PB	<2 µg/L		1655	
NMS-FC-Rm 228	-19	6/17/17	0858	X			1	NH03	1ST DRAW PB	<2 µg/L		1702	

Sampled By (name/company): SF/SB	State Forms Needed (circle one): Yes or No		indicate laboratory location where analysis requested was performed	
	NJDEP Laboratory Certification (Dover, NJ) #14013			
	NJDEP Laboratory Certification (Marlboro, NJ) #13033			
Reporting Requirements (Check Box):	Standard	NJ Reduced	Other (Specify)	Cooler Temperature Upon Receipt at lab:

Sample Custody Exchanges (Please use full legal signature)						Scanned _____
Relinquished By: <i>J. Henry [Signature]</i>	Date: 6/17/17	Time: 1300	Received By: <i>[Signature]</i>	Date: 6/17/17	Time: 1301	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Date Faxed _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Invoice Number _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Is sample known to be hazardous? (circle one) Yes or No



#NAME?

# CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

Customer Name: Nutley John Walker MS	report to:	Agra Environmental Services
Address: 325 Franklin Ave	Philip Nicolette	90½ West Blackwell Street
Nutley NJ 07110		Dover, NJ 07801
County/Municipality: Phil Nicolette		Phone: (973) 989-0010
Phone: 973-661-8813 office		Fax: (973) 989-0156
Work:		



Matrix Abbreviations: D - Drinking Water G- Groundwater W- Wastewater S- Soil SL- Sludge P-Pool L-Lake Page 1 of 1

Project: Collection PWSID# NJ for laboratory use only Field Analysis

Field ID	Lab ID:	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED		
<i>DW55730</i>											
NMS-FC-Rm 224	-20	6/17/17	0900	X			1	NH03	1ST DRAW PB <2 ug/L 6/23/17	1708	SM
NMS-So-RM-221	211 -21	6/17/17	0902	X			1	NH03	1ST DRAW PB <2 ug/L	1715	
NMS-FC-HW by Rm 209-01	-22	6/17/17	0904	X			1	NH03	1ST DRAW PB <2 ug/L	1740	
NMS-FC-HW by RM 209-02	-23	6/17/17	0905	X			1	NH03	1ST DRAW PB <2 ug/L	1804	
NMS-SO-RM 206	-24	6/17/17	0906	X			1	NH03	1ST DRAW PB <2 ug/L	1810	
NMS-FC-HW by Rm 310-01	-25	6/17/17	0912	X			1	NH03	1ST DRAW PB <2 ug/L	1816	
NMS-FC-HW by Rm 310-02	-26	6/17/17	0912	X			1	NH03	1ST DRAW PB <2 ug/L	1822	
<del>NMS-FC Varsity JV LK Rm</del>		6/17/17		X			1	NH03	1ST DRAW PB - No SV		
NMS-Boiler Rm - POE	-27	6/17/17	0828	X			1	NH03	1ST DRAW PB <2 ug/L 6/22/17	1853	SM Digested
NMS-MB-House - OR	-29	6/17/17	0848	X			1	NH03	1ST DRAW PB <2 ug/L 6/23/17	1828	SM

Sampled By (name/company): *SE/SB*

State Forms Needed (circle one): Yes or No

indicate laboratory location where analysis requested was performed

NJDEP Laboratory Certification (Dover, NJ) #14013

NJDEP Laboratory Certification (Marlboro, NJ) #13033

Reporting Requirements (Check Box):

Standard  NJ Reduced  Other (Specify)

Cooler Temperature Upon Receipt at lab:

### Sample Custody Exchanges (Please use full legal signature)

Relinquished By: <i>Shaw Pyle</i>	Date: 6/17/17	Time: 1300	Received By: <i>[Signature]</i>	Date: 6/17/17	Time: 1301	Scanned _____  Date Faxed _____ Invoice Number _____ Is sample known to be hazardous? (circle one) Yes or No
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	

# CHAIN OF CUSTODY / SAMPLE ANALYSIS REQUEST

Customer Name: <u>Murray - John Walker MS</u>	report to:	<b>Agra Environmental Services</b>
Address: <u>325 Franklin Ave</u>		90½ West Blackwell Street
County/Municipality: <u>Murray MS 07110</u>	<u>Philip Nicoletto</u>	Dover, NJ 07801
Phone: <u>973 661-8813</u>		Phone: (973) 989-0010
Work:		Fax: (973) 989-0156



**Matrix Abbreviations:** D - Drinking Water   G - Groundwater   W - Wastewater   S - Soil   SL - Sludge   P - Pool   L - Lake   Page 1 of 1

Project:	Collection	PWSID# NJ					for laboratory use only	Field Analysis	
Field ID	Date	Time	Grab	Comp	Matrix	# of Bottles	Preservative	ANALYSIS REQUESTED	
<u>DW55730</u>									
<u>27NMS - KC - kitchen 301-01</u>	<u>6/17/17</u>	<u>0909</u>	<u>X</u>				<u>H2O2</u>	<u>1st Draw Pb &lt; 2 ug/L</u>	<u>6/23/17</u> <u>1834</u>
<u>30NMS - KC - kitchen 301-02</u>	<u>1</u>	<u>0910</u>	<u>X</u>				<u>1</u>	<u>1st Draw Pb &lt; 2 ug/L</u>	<u>1840</u>
<u>31NMS - kitchen 301</u>	<u>1</u>	<u>0917</u>	<u>X</u>				<u>1</u>	<u>1st Draw Pb &lt; 2 ug/L</u>	<u>1846</u>

Sampled By (name/company): <u>SF/SB</u>	State Forms Needed (circle one): Yes or No		indicate laboratory location where analysis requested was performed
	<input type="radio"/> Yes <input type="radio"/> No		
	NJDEP Laboratory Certification (Dover, NJ) #14013		
	NJDEP Laboratory Certification (Marlboro, NJ) #13033		

Reporting Requirements (Check Box):	<input type="checkbox"/> Standard	<input type="checkbox"/> NJ Reduced	<input type="checkbox"/> Other (Specify)	Cooler Temperature Upon Receipt at lab:
-------------------------------------	-----------------------------------	-------------------------------------	--	---

Sample Custody Exchanges (Please use full legal signature)						Scanned _____
Relinquished By: <u>[Signature]</u>	Date: <u>6/17/17</u>	Time: <u>1300</u>	Received By: <u>[Signature]</u>	Date: <u>6/17/17</u>	Time: <u>1301</u>	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Date Faxed _____ Invoice Number _____
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Is sample known to be hazardous? (circle one) Yes or No